



Retinal detachment repair cases




- Retinal detachments are a surgical emergency and can be vision-threatening if not repaired promptly.
- Our vitreoretinal surgeons are experienced in this surgery, performing an increasing number each year.
- The need for a second surgery to repair the retinal detachment is about 1 out of every 60 surgeries.
- Average number per surgeon: 33 cases (Range: 5 – 62)
- Average reoperation rate within 30 days: 0.016 (Range: 0 – 0.06)

Retinal detachment repair: Reattachment at 30 days



- Surgeries to repair retinal detachments are highly successful at Kellogg Eye Center.

Adherence to Age-related Macular Degeneration Guidelines



Age-related macular degeneration (AMD) is a common cause of vision loss in the elderly population.

Our experts at Kellogg Eye Center treat patients in line with the best practices from national guidelines.*


of physicians: 61

Average rate per Physician: 100%

Rate per physician range: 99.5%-100%.

*Preferred Practice Patterns from American Academy of Ophthalmology

Adherence to Diabetic Retinopathy Guidelines



- Retinal damage from diabetes (diabetic retinopathy) is a common disease that can threaten vision.
- Our doctors treat patients in line with the best practices from national guidelines.
- # of physicians: 70
- Average rate per Physician: 99.9%
- Rate per physician range: 98.15%-100%